Contents Volume 29, 1990

The removal of zinc from solutions by foam separation, II. Precipitate flotation of zinc hydroxide
K. Jurkiewicz (Lublin, Poland) 1
Electrochemical control of chalcocite and covellite-xanthate flotation
J.R. Roos, J.P. Celis and A.S. Sudarsono (Heverlee, Belgium) 17
The effect of solid parameters in a pinched sluice concentrator
B. Jeyadevan (Akita, Japan) and G.K.N.S. Subasinghe (Auckland, New Zealand) 31
A numerical model for the inviscid flow of a fluid in a hydrocyclone to demonstrate the effects of changes in the vorticity function of the flow field on particle classification
M.D. Brayshaw (Vanderbijlpark, South Africa) 51
Importance of oxygenation of pulps in the flotation of sulfide ores
R. Houot and D. Duhamet (Vandoeuvre, France) 77
Xanthate adsorption on selected sulfides in the virtual absence and presence of oxygen, Part 1
M.C. Fuerstenau (Reno, Nev., U.S.A.), C.A. Natalie (Oklahoma City, Okla., U.S.A.) and R.M. Rowe (Golden, Colo., U.S.A.) 89
Separation of pentlandite and nickel arsenide minerals by aeration conditioning flotation
Wang Qun and K. Heiskanen (Espoo, Finland) 99
Xanthate adsorption on selected sulfides in the virtual absence and presence of oxygen, Part 2
M.C. Fuerstenau, M. Misra (Reno, Nev., U.S.A.) and B.R. Palmer (Oklahoma City, Okla., U.S.A.) 111
Laboratory studies on ball wear in the grinding of a hematite–magnetite ore
C.S. Gundewar (Nagpur, India), K.A. Natarajan, U.B. Nayak (Bangalore, India) and K. Satyanarayana (Nagpur, India) 121
Technical Note
Gas holdup versus gas rate in the bubbly regime
J.B. Yianatos (Valparaiso, Chile) and J.A. Finch (Montreal, P.Q., Canada) 141

Announcements 147
Circuit analysis: optimizing mineral processing flowsheet layouts and steady state control specifications
J.C. Yingling (Lexington, Ky., U.S.A.) 149
Effect of electrochemical interactions among sulphide minerals and grinding medium on the flotation of sphalerite and galena
M.K. Yelloji Rao and K.A. Natarajan (Bangalore, India) 175
Natural oleophilicity/hydrophobicity of sulphide minerals, I. Galena
D. Kocabag (Bozüyük/Bilecik, Turkey), G.H. Kelsall and H.L. Shergold (London, Great Britain) 195
Natural oleophilicity/hydrophobicity of sulphide minerals, II. Pyrite
D. Kocabag (Bozüyük/Bilecik, Turkey), H.L. Shergold and G.H. Kelsall (London, Great Britain) 211
Energy-size relationship for breakage of single particles in a rigidly mounted roll mill
P.C. Kapur (Kanpur, India), K. Schoenert (Clausthal-Zellerfeld, F.R. Germany) and D.W. Fuerstenau (Berkeley, Calif., U.S.A.) 221
On the prediction of terminal settling velocity of solids in liquid–solid systems
U.P. Ganguly (Kharagpur, India) 235
Simulation – the modern cost-effective way to solve crusher circuit processing problems
R.P. King (Johannesburg, South Africa) 249
The formation of layered hydrotalcite-like compounds by coprecipitation of Co(II) with

Al(III) in aqueous ammoniacal solutions
E. Narita, T. Yamagishi, K. Aizu (Aomori, Japan) and K.N. Han (Rapid City, S.D., U.S.A.) 267
A study on the removal of fine particles by liquid fluidized beds
K.N. Han, R. Sathyamoorthy (Rapid City, S.D., U.S.A.) and M.C. Fuerstenau (Reno, Nev., U.S.A.) 279
Distribution of Cu, S, O and minor elements between silica-saturated slag, matte and copper — experimental measurements
F.J. Tavera and E. Bedolla (Michoacán, Mexico) 289
Announcement 311